Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

JAPAN

Statistics of Cholera Epidemic—Typhoid Fever

Surg. Irwin at Yokohama reports December 14, 1910: The following information was received from the sanitary bureau through the American embassy:

Statistics of cholera epidemic from beginning of outbreak to November 30, 1910

Prefectures	Cases	Deaths
Tokyo-fu	1	1
Kyoto-fu	143	119
Osaka-fu	951	692
Hyogo-ken	607	396
Nagasaki-ken	26	11
Nara-ken	31	23
Miye-ken	8	5
Aichi-ken	3	3
Shiga-ken	7	6
Shimane-ken	7	5
Okayama-ken	71	49
Hiroshima-ken	58	30
Yamaguchi-ken	41	29
Wakayama-ken	57	44
Tokushima-ken	59	37
Kagawa-ken	293	201
Ehime-ken	27	19
Kochi-ken	70	42
Fukuoka-ken	234	165
Oita-ken	2	1
Saga-ken	51	31
Kumamoto-ken	19	11
Kagoshima-ken	4	3
Total	2,770	1,923

Average case mortality rate, 69.42 per cent.

Surg. Irwin further reports:

Cholera was reported present in Formosa December 1, with 8 cases and 8 deaths.

In Kanagawa-ken typhoid fever was reported present December 7, with 1,025 cases. Population, 776,685.

MANCHURIA

MUKDEN—Plague

Information received from the Department of State January 7 shows plague present at Mukden, Chang Chun, and Kirin, as reported by Consul Fisher at Mukden.

PERU

Status of Plague

Acting Asst. Surg. Castro-Gutierrez at Callao reports December 19:

The following statement of plague conditions in Peru was received from the director of public health.

November 27-December 10, 1910

Localities	Cases remaining Nov. 27	New cases	Recovered	Died	Remaining
Lima		1			1
Callao	1		1		